## Claims

1. A compound represented by the formula (I):

<sup>5</sup> wherein

 $R^1$ ,  $R^3$ ,  $R^4$  and  $R^5$ 

are the same or different and each is a hydrogen atom, a halogen atom, an optionally substituted hydrocarbon group or an optionally substituted hydroxy group;

- is a halogen atom, a nitro group, an optionally substituted hydrocarbon group, an optionally substituted hydroxy group, an optionally substituted amino group, an optionally substituted acyl group or an optionally substituted heterocyclic group;
- $R^{10}$  and  $R^{11}$  are the same or different and each is a hydrogen atom, a halogen atom or a  $C_{1-6}$  alkoxy group;

E is a bond, an optionally substituted  $C_{1-4}$  alkylene group,  $-W^1-O-W^2-$ ,  $-W^1-S-W^2-$  or  $-W^1-N$  ( $R^6$ )  $-W^2-$  (wherein  $W^1$  and  $W^2$  are the same or different and each is a bond or an optionally

substituted  $C_{1-3}$  alkylene group, and  $R^6$  is a hydrogen atom, an optionally substituted acyl group or an optionally substituted hydrocarbon group);

ring S<sup>1</sup> is a benzene ring optionally further having substituent(s) selected from a halogen atom, an optionally

25 substituted hydrocarbon group, an optionally substituted hydroxy group and an optionally substituted amino group; and

R is an optionally substituted hydroxy group or an optionally substituted amino group;

provided that R1 and R3 are not simultaneously a hydrogen atom,

or a salt thereof.

2. The compound of claim 1, wherein  $R^2$  is a halogen atom, an optionally substituted hydrocarbon group, an optionally

- substituted hydroxy group, an optionally substituted amino group, an optionally substituted mercapto group or an optionally substituted heterocyclic group, and  $R^{10}$  and  $R^{11}$  are both hydrogen atoms, or a salt thereof.
- 10 3. A prodrug of a compound of claim 1 or a salt thereof.
  - 4. The compound of claim 1, wherein  $R^4$  and  $R^5$  are the same or different and each is a hydrogen atom or a halogen atom, or a salt thereof.

15

- 5. The compound of claim 1, wherein E is a bond, or a salt thereof.
- 6. The compound of claim 1, wherein R is a hydroxy group, or a  $^{20}$  salt thereof.
  - 7. The compound of claim 1, wherein  $R^1$  and  $R^3$  are the same or different and each is a  $C_{1-6}$  alkyl group, or a salt thereof.
- 8. The compound of claim 1, wherein R<sup>2</sup> is an optionally substituted hydroxy group, or a salt thereof.
  - 9. The compound of claim 1, wherein  $R^{10}$  and  $R^{11}$  are both hydrogen atoms, or a salt thereof.

30

10. The compound of claim 1, wherein ring  $S^1$  is a benzene ring optionally further having a  $C_{1-6}$  alkoxy group, or a salt thereof.

```
11. 3-[4-[4-(benzyloxy)-2',6'-dimethylbiphenyl-3-
   yl]methoxy]phenyl]propanoic acid;
   3-(4-\{[4'-(2-ethoxyethoxy)-2',6'-dimethylbiphenyl-3-
   yl]methoxy}phenyl)-2,2-difluoropropanoic acid;
^{5} 3-[4-(\{4'-[2-(ethylsulfonyl)ethoxy]-2',6'-dimethylbiphenyl-3-
   yl}methoxy)-2-fluorophenyl]propanoic acid;
   3-[4-({2',6'}-dimethyl-4'-[3-(2-oxopyrrolidin-1-
   yl)propoxy]biphenyl-3-yl}methoxy)-2-fluorophenyl]propanoic acid;
   3-[4-({2',6'-dimethyl-4'-[(6-methylpyridin-2-
vl)methoxy]biphenyl-3-yl}methoxy)-2-fluorophenyl]propanoic acid;
   3-[2-fluoro-4-({4'-[(4-hydroxy-1,1-dioxidotetrahydro-2H-
   thiopyran-4-yl)methoxy]-2',6'-dimethylbiphenyl-3-
   yl}methoxy)phenyl]propanoic acid;
   3-[4-({2',6'-dimethyl-4'-[(methylsulfonyl)oxy]biphenyl-3-}
15 yl}methoxy)-2-fluorophenyl]propanoic acid;
   3-[4-({4'-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)oxy}]-2',6'-
   dimethylbiphenyl-3-yl}methoxy)-2-fluorophenyl]propanoic acid;
   3-[4-({2',6'-dimethyl-4'-[(3-methyloxetan-3-yl)methoxy]biphenyl-
   3-yl}methoxy)-2-fluorophenyl]propanoic acid;
^{20} 3-(4-{[2',6'-dimethyl-4'-(tetrahydro-2H-pyran-4-yloxy)biphenyl-
   3-yl]methoxy}-2-fluorophenyl)propanoic acid;
   3-[4-({4'-[3-(diethoxyphosphoryl)propoxy}]-2',6'-
   dimethylbiphenyl-3-yl}methoxy)-2-fluorophenyl]propanoic acid;
   3-[2-fluoro-4-({6-isopropoxy-2',6'-dimethyl-4'-[(3-methyloxetan-
25 3-yl)methoxy]biphenyl-3-yl}methoxy)phenyl]propanoic acid;
   or a salt thereof.
```

12. A GPR40 receptor function modulator comprising a compound of claim 1 or a salt thereof or a prodrug thereof.

30

13. A pharmaceutical agent comprising a compound of claim 1 or a salt thereof or a prodrug thereof.

14. The pharmaceutical agent of claim 13, which is an agent for the prophylaxis or treatment of diabetes.

- 15. Use of a compound of claim 1 or a salt thereof or a prodrug
  5 thereof for the production of a GPR40 receptor function modulator.
- 16. Use of a compound of claim 1 or a salt thereof or a prodrug thereof for the production of an agent for the prophylaxis or treatment of diabetes.
  - 17. A method of modifying a GPR40 receptor function in a mammal, which comprises administering an effective amount of a compound of claim 1 or a salt thereof or a prodrug thereof to the mammal.
  - 18. A method for the prophylaxis or treatment of diabetes in a mammal, which comprises administering an effective amount of a compound of claim 1 or a salt thereof or a prodrug thereof to the mammal.

19. A production method of a compound represented by the formula (Ib):

$$R^{2} \xrightarrow{R^{1}} E \xrightarrow{S^{1}} O \xrightarrow{R^{4}} R^{10} COOH$$
 (Ib)

wherein  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^{10}$ ,  $R^{11}$ , E and ring  $S^1$  are as defined in claim 1,

or a salt thereof, which comprises reacting a compound represented by the formula (X):

$$R^{2} \xrightarrow{R^{1}} E \xrightarrow{S^{1}} OH \qquad (X)$$

15

20

wherein each symbol is as defined above,

or a salt thereof, and a compound represented by the formula (II):

HO 
$$\mathbb{R}^4$$
  $\mathbb{R}^{10}$   $\mathbb{COR'}$  (II)

 $^5$  wherein  $\mbox{R}^4$  ,  $\mbox{R}^5$  ,  $\mbox{R}^{10}$  and  $\mbox{R}^{11}$  are as defined above, and R' is an optionally substituted  $C_{1-6}$  alkoxy group,

or a salt thereof, to give a compound represented by the formula (Ib'):

$$R^{2}$$
  $E$   $S^{1}$   $O$   $R^{4}$   $R^{10}$   $COR'$  (Ib')

- wherein each symbol is as defined above, or a salt thereof, and subjecting the compound or a salt thereof to a hydrolysis reaction.
- 20. A production method of a compound represented by the formula  $^{15}$  (Id):

$$R^2-Y$$
 $R^3$ 
 $R^4$ 
 $R^{10}$ 
 $R^5$ 
 $R^{11}$ 
 $R^{10}$ 
 $R^5$ 
 $R^{11}$ 
 $R^{10}$ 

wherein R<sup>1</sup>, R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup>, R<sup>10</sup>, R<sup>11</sup>, E and ring S<sup>1</sup> are as defined in claim 1, Y is -O- or -S-, and R<sup>2</sup>' is a substituent, or a salt thereof, which comprises reacting a compound represented by the formula (Ie'):

$$H-Y \xrightarrow{R^1} E \xrightarrow{S^1} O \xrightarrow{R^4} R^{10}$$

$$R^5 \xrightarrow{R^{11}} COR' \qquad (le')$$

wherein  $R^1$ ,  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^{10}$ ,  $R^{11}$ , E and ring  $S^1$  are as defined above, R' is as defined in claim 19,

or a salt thereof, and a compound represented by the formula:

 $R^2$  –OH

wherein  $R^2$ , is as defined above,

or a salt thereof, to give a compound represented by the formula (If'):

$$R^{2}-Y- \underbrace{\hspace{1cm}}_{R^{3}}^{R^{1}}E-\underbrace{\hspace{1cm}}_{S^{1}}^{S^{1}}O-\underbrace{\hspace{1cm}}_{R^{5}}^{R^{4}}\underbrace{\hspace{1cm}}_{R^{10}}^{R^{10}}COR'$$

wherein each symbol is as defined above, or a salt thereof, and subjecting the compound or a salt thereof to a hydrolysis reaction.